


[Select Vehicle](#) | [New TSBs](#) | [Technician's Reference](#)Component Search: [Conversion Calculator](#)[2005 Mercedes Benz E 320 Sedan \(211.065\) V6-3.2L \(112.949\)](#)[Vehicle Level](#) → [Instrument Panel, Gauges and Warning Indicators](#) → [Maintenance Required Lamp/Indicator](#) → [Service and Repair](#) → [AP00.20-P-0042TA Reset Service Indicator](#) ←

AP00.20-P-0042TA Reset Service Indicator

[Notes](#)

AP00.20-P-0042TA: Reset service indicator

MODEL 211 as of 1.9.03



- A1p13 Multifunction display
A1s3 Trip odometer reset button
S110s1 Scroll forward/back button
S110s3 System selection button
S111s1 Buttons + and - for setting specific functions and volume control

- 1 Turn key in ignition switch to position "1"
- 2 Press system selection button (S110s3) repeatedly until the basic display (kilometer reading or temperature display) or speed display is shown in the multifunction display (A1p13)

- 3 Briefly press the trip odometer reset button (A1s3)
3 times

α

An acoustic signal is heard and the voltage is shown in the multifunction display (A1p13).

- 4 Press lower scroll forward/back button (S110s1)

α

The "Service Menu" appears in the multifunction display (A1p13).

- 5 Press buttons + and -, setting of specific functions and volume control (S111s1) repeatedly and select "Confirmation" menu item

- 6 Press lower system selection button (S110s3) to confirm

α

"Confirmation" appears in the multifunction display (A1p13) and the menu item "Complete service" is highlighted.

- 7 Press lower system selection button (S110s3) to confirm

α

"Service confirmed" appears in the multifunction display (A1p13).

- 8 Press the top system selection button (S110s3) repeatedly until the "Service menu" is shown in the multifunction display (A1p13).

- 9 Using the + and - buttons, setting of specific functions and volume control (S111s1) select the menu item "Special work"

- 10 Press lower system selection button (S110s3) to confirm

- 11 Using the + and - buttons, setting of specific functions and volume control (S111s1) select the menu item "Service 13"

- 12 Press lower system selection button (S110s3) to confirm.

- 13 Select the engine oil grade used by pressing the + and - buttons, setting of specific functions and volume control (S111s1).

☒

The number of selection options may vary depending on the engine.

- 14 Press lower system selection button (S110s3) to confirm.

☒

The message "Position confirmed" appears in the multifunction display (A1p13).

- 15 Press system selection button (S110s3) repeatedly until the basic display (kilometer reading or temperature display) or speed display is shown in the multifunction display (A1p13)

- 16 Turn key in ignition switch to position "0"

© 2008 ALLDATA LLC. All rights reserved.

[Terms of Use](#)